

Order #XXXXX - General Information

euro It HYBRIDS


Euro LT Hybrids General Setup Instructions

Using Your Setup Instructions


© 2016

DESIGNS


The Euro LT Hybrid Setup Instructions are created specifically for your configuration. They are laid out sequentially in levels, including exploded views, and a logical series of detailed steps to assemble the main structure and components. We encourage you to study the instructions **before** attempting to assemble your exhibit.








by aligning them and sliding downward connecting clips together.



Configurations are assembled from left to right, usually starting with #1 and following the numbered sequence.

Cleaning and Packing Your Display

- 1) When cleaning laminate countertops or panels use mild cleansers and a soft material such as cotton.
- warping and fading.
- shipping damage.



The first level of components contains panel locks that are located at the top of the panel for extra stability and a seamless connection. When disassembling panels, twist top connection slightly and lift right panel upward.

2) Keep all display components away from extreme heat and long exposure to sunlight to avoid 3) Retain all packing material. It will make re-packing much easier and will reduce the likelihood of




Order #XXXXX - LTK-1106 - Assembly


- Qty. Description Item
- 1 1 42"h Vertical LT T-Connector
- 2 42"h x 9.5"w Curved LT-Panel 1
- 3 1 42"h x 9.5"w Curved LT-Panel
- 42"h Vertical Extrusion LT Connector 1 4
- 5 42"h x 9.5"w Curved LT-Panel 1
- 6 42"h x 9.5"w Curved LT-Panel 1
- 7 38"h x 57.5"w Curved LT-Panel 1
- 8 38"h x 57.5"w Curved LT-Panel 1
- 9 1 38"h 90 degree LT Corner Connector
- 10 1 38"h x 19"w LT-Panel
- 11 1 38"h 90 degree LT Corner Connector
- 38"h x 23.624"w Assembled LT Door Panel 12 1

Steps:

- 1) Connect pieces [1,2,3,4,5,6] together in numerical order.
- 2) Attach panel [7] to assembled [1/2/3/4/5/6].
- 3) Connect pieces [8,9,10,11,12] together in numerical order.
- 4) Insert Interior shelf.
- 4) Attach vertical extrusion 13 to top of round counter top. See Ipad Stand Attachment detail.
- 5) Place Counters on top of assembled kiosk body.
- 6) Attach iPad Swivel Mount. See Swivel iPad Clamshell Attachment detail.
- 7) Connect iPad Clamshell to Swival Mount.

★ iPad Stand Attachment









- 1) Remove foam lining from inside bottom of clamshell as shown.
- 2) Attach Home Button Shield with double-sided tape to inside of clamshell, keeping top of shield flush with clamshell opening as shown. NOTE: This is a permanent fix and can't be easily removed.

Wire Management for iPad





www.classicexhibits.com

